



MAGELAN Siren

Data sheet

Brief description:

The siren serves as an additional signal in the event of water damage. For intrusion protection, the siren serves as a deterrent to burglars in combination with the blossom-ic thermostats. In the event of an alarm, a red flashing warning signal also appears. In conjunction with Gateway GT-100.

Magelan Siren



Item number: MSI-3968

Properties

- For use with burglary protection in combination with the blossom-ic thermostats and / or the additional Magelan sensor.
- Also for use as an alarm siren in the event of water damage.
- As soon as the Magelan alarm siren is activated, every registered smartphone immediately receives a push notification.
- The siren is permanently installed with 230V.
- Repeater for the blossom-ic system.
- In connection with the gateway GT-100.

Scope of application

Magelan Siren

The Magelan siren can be used in combination with the leakage system and / or the sensors on the thermostats as an in-house alarm system. In conjunction with Gateway GT-100.

Gateway GT-100

To control blossom-ic products via the Internet, simply and conveniently using the blossomic app. The blossomic app is available for all smartphones and tablets with iOS and Android.

Radio Frequency Communication

- blossom-ic RF: 2.4GHz, ISM Band, 16 channels
- Range: up to 50 m in buildings

Technical data

Technical data - Magelan Siren

• Ambient temperature	0 ~ 50°C
• Mains voltage	230V AC / 50/60Hz
• Dimension	L86 x B86 x T59,5 (mm)
• Wireless frequency	2.4GHz, ISM Band, 16 channels
• Protection class	IP 30
• RF-Test	RED 2014/53/EU
• CE	Available
• RoHs	Available
• Type of antenna	PCB antenna
• Volume	80 dB

blossom-ic

 intelligent controls

blossom-ic GmbH & Co. KG

Oberer Buxheimer Weg 60, 87700 Memmingen, Germany

P: +49 8331-756 965 80 **E:** info@blossomic.de

W: www.blossomic.de